

NEAUVIA



Corners of the mouth lift

Dr. Marta Walaszek

Dentist,
Poland

REPORT SUMMARY



PATIENT

A 40-year-old woman with midface and perioral volume loss, sad expression and skin laxity, post-orthodontic treatment, was treated with PEG-HA fillers and device therapy.

TREATMENTS

Neauvia Stimulate 0.5 ml per side in the zygomatic arch, **Neauvia Intense Flux** 2 ml in marionette lines, and **Neauvia**

Rheology 0.7 ml in lips were applied with cannulas and needles across two sessions. Skin tightening was performed with **Zaffiro** (30J, two passes).

RESULTS

Combination of fillers and infrared improved hydration, elasticity, and facial harmony. The patient regained a happier, natural look.

BEFORE

AFTER

/ FILLERS
STIMULATE
INTENSE FLUX
INTENSE RHEOLOGY

/ DEVICES
ZAFFIRO

Neauvia products are for trained experts only. Use must follow approved indications and the Instructions for Use (IFU) in accordance to applicable laws and regulations in each country. Physicians are solely responsible for any treatments outside these conditions. The results shown are specific to an individual treatment plan. Treatment decisions must be adapted to each patient, who may respond differently based on numerous factors. Outcomes are variable and not guaranteed.